

	Hits	Search Text
1	174	consult\$5 and (connect\$3 link interface) near3 (mode status condition) same (connectable linkable accessible available) and (monitoring monitored) and (customer client user subscriber agent) adj3 select\$4
2	27	11 and ("1996" "1995" "1994" "1993").ay.
3	445	consult\$5 and (connect\$3 link interface) near10 (status condition) same (connectable linkable accessible available possible) and (monitoring monitored) and (customer client user subscriber agent) adj3 select\$4
4	66	13 and ("1996" "1995" "1994" "1993").ay.
5	29	14 and inquir\$3
6	197	consult\$5 and (connect\$3 link interface) near10 (status condition) with (connectable linkable accessible available possible) and (monitoring monitored) and (customer client user subscriber agent) adj3 select\$4
7	20	16 and inquir\$3 and ("1996" "1995" "1994" "1993").ay.
8	4	consult\$5 same inquir\$3 and (connect\$3 link interface) with (status condition) with (connectable linkable accessible available possible) and (monitoring monitored) and (customer client user subscriber agent) with select\$4
9	93	consult\$5 and inquir\$3 and (connect\$3 link interface) with (status condition) with (connectable linkable accessible available possible) and (monitoring monitored) and (customer client user subscriber agent) with select\$4
10	20	19 and inquir\$3 and ("1996" "1995" "1994" "1993").ay.
11	1	("5717737").PN.
12	19	consult\$5 and inquir\$3 and (status condition) with (connectable linkable (connection link) near3 (accessible available possible)) and (monitoring monitored)

	<b>Hits</b>	<b>Search Text</b>
<b>13</b>	1	consult\$5 and (status condition) with (connectable linkable (connection link) near3 (accessible available possible)) and (monitoring monitored) with inquir\$3
<b>14</b>	1	("5717737").PN.
<b>15</b>	1	24 and (consult\$5 (status condition) (connectable linkable (connection link) (accessible available possible)) (monitoring monitored) inquir\$3 )

9/8/6, 615

	Hits	Search Text
1	5018	(monitor43 detect\$4 discover\$3 verif\$4 identif\$4) adj20 (connection link interface session) near3 (status mode condition\$3)
2	1927	(connect\$4 link\$4 enable available usable qualif\$3) near3 (connect\$3 link session interface channle access) with (user customer subscriber client) near3 (select\$3 assgin\$3)
3	62031	(data information parameter attribut\$2 variable) with (relat\$2 based referenc\$3 accord\$3) with (connect\$4 link\$4)
4	30	1 and 2 and 3
5	1991	monitor\$3 with (connect\$3 link) near2 (status state condition)
6	111	6 and (connectable linkable (enable available) near3 (connection link)) and (user customer subscriber client) near3 (select\$3)
7	17	7 and (connectable linkable (enable available) near3 (connection link)) same ((user customer subscriber client) near3 (select\$3) moniotr\$3)
8	16	8 not ("2001" "2002" "2003" "2004" "2005") .ay.